



Bagenstose, Kyle <kbagenstose@couriertimes.com>

Burlington County Times - Thanks and a shorter additional request

City of Bordentown <btownch@cityofbordentown.com>

Tue, Dec 11, 2018 at 5:08 PM

To: "Bagenstose, Kyle" <kbagenstose@couriertimes.com>, kmcelmoyl@parkermccay.com

Cc: "Commissioner Joseph D. Myers" <jmyers@cityofbordentown.com>

Good Afternoon Kyle,

I apologize for not getting back to you sooner, it was a busy day. The City has continued to be open and communicative with you during this entire lead testing and reporting period (2017 and 2018) and will continue to provide information to you that is pertinent to your requests.

As we continue this cooperative effort to examine the lead testing issues, I would ask that you submit an OPRA request, as you have done previously, to obtain copies of any reports or studies you believe would benefit the reporting of accurate information on the City's efforts to explore and determine why levels of lead exceedances are being experienced by some homeowners in our service area. Our City Solicitor is reviewing documents that may be responsive to your first question to determine if there is sensitive or privileged information that should not be made readily available to the public under OPRA.

As you are aware, the City continues to work closely with the NJ Department of Environmental Protection and continues its efforts to provide educational materials, free water testing, and is conducting exploratory digs on those homes experiencing exceedances to determine whether there are lead service lines at their homes or the problem lies within internal plumbing.

Thank you for your cooperation with the City officials in dealing with this issue.

Grace I. Archer, RMC, CMR

Municipal Clerk/Registrar

City of Bordentown

324 Farnsworth Avenue

Bordentown, NJ 08505

Ph: 609-298-0604

Fx: 609-298-8467

Email: btownch@cityofbordentown.com

This e-mail message from the City of Bordentown is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. Further, be advised that the City of Bordentown is subject to the New Jersey Open Public Records Act and as such, any e-mail sent or received by the City may be subject to a records request.

From: Bagenstose, Kyle <kbagenstose@couriertimes.com>

Sent: Thursday, December 6, 2018 12:57 PM

To: Grace Archer <btownch@cityofbordentown.com>; kmcelmoyl@parkermccay.com

Subject: Burlington County Times - Thanks and a shorter additional request

Ms. Archer and Ms. McElmoyl,

Thank you for your providing the responses to my questions yesterday. Barring any unforeseen circumstances, our story will run Sunday.

In the course of reporting the story, there was some question raised about what kind of treatment studies the city has conducted to date. My understanding is the city conducted some level of a corrosion control treatment study in the spring or summer to arrive at the recommendation of the use of orthophosphates and continued pH adjustment for corrosion control. However, it is my understanding the city has not yet engaged in more detailed

12/12/2018

Mail - Burlington County Times - Thanks and a shorter additional request

studies, often referred to as "laboratory" or "lab" studies, which could involve examining pipes or recreating environmental conditions in a controlled setting.

We are planning a second report for next week. I appreciate the time you've taken to prepare the prior answers and feel this is a much shorter and more specific request, hoping you can meet a deadline of 2 p.m. next Tuesday, 12/11. Again, if you feel you'd need additional time please let me know as soon as possible. Thanks. -Kyle

1. What kind of analysis was performed for the city's corrosion control treatment study leading to the recommendation of orthophosphates, and can you provide a copy of the study?
2. Does the city have any intention of commissioning a detailed, "laboratory study" as part of the effort to determine the cause and potential solutions to high lead levels in some area homes?

--

Kyle Bagenstose

Investigative reporter, government & environment

Bucks County Courier Times

The Intelligencer

Burlington County Times

Phone (rings O & C): 484-483-5770

kbagenstose@couriertimes.com

Twitter [@KyleBagenstose](https://twitter.com/KyleBagenstose)

Secure email: KBagenstose@protonmail.com

Secure call: Request #

This message may contain confidential and/or privileged information. If you are not the intended recipient or authorized to receive this for the intended recipient, you must not use, copy, disclose or take any action based on this message or any information herein. If you have received this message in error, please advise the sender immediately by sending a reply e-mail and delete this message. Thank you for your cooperation.